
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



a5B249 A3

COTTON VARIETIES PLANTED 1992 CROP



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

August 1992

CONTENTS

Tabl		440
	Introduction	1
	Leading Varieties by growth areas (Table)	1
1.	Varieties by states and United States, crop of 1992	2-3
	Varieties planted by classing offices, crop of 1992:	
2.	Abilene	4
3.	Altus	4
4.	Birmingham	5
5.	Corpus Christi	5
6.	Dumas	6
7.	El Paso	6
8.	Florence	7
9.	Greenwood	7
10.	Harlingen	8
11.	Hayti	8
12.	Lamesa	9
13.	Lubbock	9
14.	Macon	10
15.	Memphis	10
16.	Phoenix	11
17.	Rayville	11
18.	Visalia	12
19.	Waco	12
20.	Estimated percentage of American Pima cotton acreage planted to specified	
	varieties, by states, crop of 1992	13
21.	Estimated percentage of American Pima cotton acreage planted to specified	
	varieties, by classing offices, crop of 1992	13

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
COTTON DIVISION, MARKET NEWS BRANCH
4841 SUMMER AVENUE - MEMPHIS, TN 38122
Telephone 901-766-2931

Cotton Varieties Planted, United States 1992 Crop

Deltapine owned varieties were the most popular upland cotton planted in the United States for the 1992-93 season, according to the Cotton Division, Agricultural Marketing Service, USDA. Cargill owned varieties were the second most popular followed by Stoneville, CPCSD, Germain's and Tamcot.

Deltapine owned varieties were the most popular planted in 1992, accounting for 53.6 percent of the United States acreage. These varieties lead in Alabama, Arizona, Arkansas, Georgia, Louisiana, Mississippi, Missouri, North Carolina, South Carolina, Tennessee and Virginia. The most popular Deltapine variety was Deltapine 50 which accounted for over 15 percent of the United States acreage planted.

Cargill owned varieties were the second most popular planted in 1992, accounting for 16.7 percent of the United States acreage. These varieties were the most popular planted in Oklahoma and Texas and were the second most popular in New Mexico. Paymaster HS 26 was the most popular Cargill owned variety and accounted for about 10.1 percent of the U.S. acreage.

Stoneville owned varieties were the third most popular planted in 1992. These varieties accounted for 8.1 percent of the U.S. acreage. These varieties were the second most popular planted in Alabama, Arkansas, Georgia, Louisiana, Mississippi, Missouri, North Carolina, South Carolina and Tennessee. The leading Stoneville variety was Stoneville 453, accounting for 4.1 percent of the U.S. acreage planted.

CPCSD (California Planting Cotton Seed Distributors) varieties were the next most popular and accounted for 6 percent of the acreage planted in 1992. CPCSD varieties were the most popular planted in California. SJ-2 was the most popular variety of CPCSD planted and accounted for about 2.4 percent of the U.S. acreage.

Germain's were the fifth most popular varieties planted and accounted for 3.4 percent of the 1992 acreage. Germain's Acala GC-510 was their most popular, at 3 percent of the total U.S. acreage.

Tamcot varieties were the sixth most popular group planted in 1992, accounting for 2.4 percent of the U.S. acreage. Tamcot was the second most popular variety group in Oklahoma. The most popular Tamcot variety was Tamcot CAB-CS which accounted for over one percent of the U.S. acreage.

Other variety groups accounting for one percent or more of United States 1992 cotton plantings included: All-Tex and Hyperformer.

Pima S-6 was the most popular American Pima variety planted in 1992. This variety accounted for 93.5 percent of the United States acreage and accounted for virtually 100 percent of the American Pima acreage in California and about 98 percent of the acreage in New Mexico and Texas. Pima S-7 accounted for about 13 percent of the Arizona acreage.

Estimates of the percentage of the various varieties of cotton planted in the United States for 1992 by counties, classing offices and states are presented in this report. The variety data are based primarily on estimates furnished by cotton ginners for the territories served by their gins.

Estimated percentage of upland cotton acreage planted to leading specified varieties, by growth areas, 1992 crop

WEST		GERMAIN'S ACALA GC-510 22.4	CPCSD SJ-2 17.6	CPCSD MAXXA	DELTAPINE DP 5415 12.8	CPCDS ROYALE 8.6	DELTAPINE ACALA 90	GERMAIN'S ACALA GC-356 2.7
	;	23.2	9.5	6.4	6.3	5.1	4.5	4.4
SOUTHWEST	:	CARGILL PAYMASTER HS 26	CARGILL PAYMASTER HS 200	DELTAPINE ACALA 90	DELTAPINE 50	CARGILL PAYMASTER 145	DELTAPINE DP 5415	DELTAPINE 51
	-	28.3	15.8	9.9	7.0	6.9	6.7	6.7
SOUTH CENTRAL	8 8 8	DELTAPINE 50	DELTAPINE 20	DELTAPINE 51	DELTAPINE DP 5415	STONEVILLE 453	DELTAPINE SUREGROW DES-119	DELTAPINE ACALA 90
	i	26.2	9.6	8.6	6.5	5.9	4.8	4.3
SOUTHEASTERN	:	DELTAPINE ACALA 90	DELTAPINE 50	DELTAPINE SURE-GROW DES-119	DELTAPINE DP 5690	DELTAPINE 51	DELTAPINE 20	HYPERFORME HS-46

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 1992

UNITED STATES 2/	*****	* * 6.	**** * *	1.8			2.2	2.8 2.8 2.8 2.8 5.7 6.4 8.3
: UNI : STA : 2				= "			10575.4	- the to not too and so
ALL OTHER 1/		1 1 1		0.0	1.2	1 1	1 1 1 1	6.0 6.0 9.6 21.3 21.3 2.6 2.6 2.8.5
۸ م	11111	1112	1111		1 1 1		1111	35.1
	+11+11	* 1.3 2.7	9 * * * * *	28.7	1 **			1.9
		2	•	28 69		10 1657		
2	1 1 1 1 1 1	1 1 1			1 1	0.8	1 1 1 1	23.9 23.9 5.8 5.8
35	1 1 1 1 1 1	1 1 1	1 1 1 1 1 -		8 11	1 +		33.5
ж		2.7	3.5.5.6	21.9	2.8	1 1	1 1 1 1	2:2
	1 1 1 1 1	1 1 1	1111 1		1 1 1	- 3	1 1 1 1	7.1 6.7 - - - - - - - - - - - - - - - - - - -
	33.7 10.2 3.8	11.4	1 1 1 1 1	23.8	1 1 1 1	1 1	1. 1 1 1 200	0.5
		5		61	10// 11/	**		5.0
	11111					0	- selV sill V	
æ	1 1 1 1 1 1	in	1 1 1 1	1111	1 100 01 100	1.0	1 1 1 1	2.7 9.6 4 0.8 0.8 13.5 13.5
4	111111	1 1 1		1 1 1 1 1	1 1 1	1 1	1 1 1 1	15.3 11.2 11.4 11.4 15.9 3.7 9.8
		1 1 1	11111		1 1 1	9.0	1 1 1 1	53.8 7.1 11.0 * * * * * * * * * * * * * * * * * * *
CA		1.1.1	1111		1 11	1.1	22.0 2.7 11.6 23.6	* 1 * * 1 * 2 * 1 * 1 * 1 *
** ** **		1 1 1	1 1 1 1 1		1 1	**0	2 1 2	0.8 9.6 1.8 1.8
						* 0		0.8 9.6 - - - 15.6 0.8 31.4
AZ	* * * * 0 1 1	1 1-1	1 1 1 1	1 * 1 * 1	1 11	0.5	1 1 1 1	15.7 49.8 1.9 1.2 4.7 6.5 0.5 1.8
AL .		1.1.1	1111		1 11	0.6	1 1 1 1	17.5 9.0 12.0 - - 2.2 1.7 15.0
	7 E-2 7-75 7-77 7-88 7-91	ATLAS MAX-9 QUICKIE	571 75	HS 26 HS 28 HS 200 HS 200	ES-300 C-13 2910	CB 333 CB 1135	MAXXA PREMA ROYALE SJ-2	
ŢŢ	1517 1517- 1517- 1517- 1517- 1517- SJ-5	ATL MAX QUI	LX-571 PR-75 175 511 511 ELECTION 57	HS 26 HS 28 HS 28 HS 20 145	ES-30 C-13 2910	88	PRE ROY SJ-	ACALA 90 DP 5415 DP 5461 DP 5690 DP 5816 6166 ACALA 41 50 51
VARIETY	ACALA		CAMBILL LANKART LANKART SEL	PAYMASTER	CASCOT	CHEMBRED	DCSD .	DP

T
Q.
=
=
-
4.4
-
-
Con
-
-
-01
-
-
E D
00

NYS ACALA 6C-356		30.2	6.2	18.4	E 1 1 1 1 + 1 1 1 1	1 0.8	11.9	1 + 11 1 1 1 25	g 1 1 1 1	6.2	5.6	8.1.	e + +
R BB 53			1 1 1 1 2 1 1 1 1	1 1 1 1 9 1 1 1 1		10.8	1.5	1 + 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			ا ا		
ACALA 6C-356 - + + CALA 6C-510 + + CALA 6C-510 + + CALA 6C-510 + + CALA 6C-510 + + CALA 6C-310			1. 1 *2 1 1 1	1 1 1 9 1 1 1			1.5	* 11 11 1 1 5	1 1	0 1	o,		+
ALA 6C-356 + + 23 + + 23 + + 5 46 6.3 2.3 HS 46 6.3 2.3 HS 46 6.3 2.3 PR-80			1 1 * 2 1 1 1	1 1 9 1 1			10.7	1 1 1 1 1 1 25	-	11			
HS 23 HS 46 6.3 2.3 HS 46 6.3 2.3 SR-383 SR-383 			* 27	1 6 1 1	1 4 1 1 1		1.5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 1	1 1	3.0
38 53	1 1 1			PARTE LIE				1 1 25	1 1	1.4	.0 3.7	1.5	2.1
SR-383 SR-383	1 1 1	t t t	ESE E SE		1 1		11 1	0.5	0.5	ı.			•
SR-383 315 220 235 235		1	1 35				i.	0.5	1	1	1.0		
SR-383 315 220 235 235	1	1			•				,	-	1.7	-	9.0
315 320 220 235 			! ?					1		0	0.9	-	•
252		4 4 1 1		1 1 - 1	1 -1 1	1 f 4c	3.5	1 1 1	9.6	= 1 (1)	* 1 1 1	1 1 1	***
SIUNEVILLE KC311 0.9 0.8	13.0 3.8 0.8	* * * * 1.3 - * * 1.8 - 0.7 - 2.1	0.8 7.7.8 1.8 0.0	1.4 4.1 4.8 4	22.5 16.7 1.5		1.3 + 1.1 + 1.1 33	2,5	13.3 0.5 1.9 0.5	12.6	0.0	1.4.1.9.0	
SURE-GROW 1001 3.4 3.2 *	-k	* 2.4	1.0	*	*		1.2	,	2.0	*	- 6.0	1.5	0.8
TAMCOT CAB-CS	1 1 1 1	1 1 1 1	1-1-1-1-2	1 1 1 1	1 1 1 1	111		6.7	1 1 1 1	1 1 0 0	0,0,0,0,	1 1 1 1	I * * *
TERRA C-40 * 0.6 0.7		* 6	1.4	9.0	1.6	1 6	2.0	1 6	1 6	* * *	1 +	ا ين	* 0
100.0 100.0 10		2	10	100.0	100.0					101	100	100.0	100.0

1/ Includes Florida and Kansas. 2/ lotals may not add to overall percentages shown for varieties on page i because of rounding and acreages 3/ Includes all varieties accounting for less than 0.5 percent.

lable 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

	1											
TOTAL	Pet.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
OTHER	Pct.	8.2	15,3	1.4	24.4	2.9	21.1	8.6	16.4	17.1	16.0	14.8
TAMCOT SP-21	Pet.	2.2	,	1	•		0.8	0.5	2.7	1.2	4.6	2.1
TAMCOT HQ-95	Pct.	1	12.3	1	0.8	18.3		*	13.7	1.2	0.7	3.6
TAMCOT CD-3H	Pct.	1	1.5	1	1.3	36.3		1	ı	1	.1	1.7
TAMCOT CAB-CS	Pct.	1.6	9.9	28.2	*	9.5	5,3	6.7	16.2	1	3.6	5.9
ROSEBUD PR 80	Pct.	53.3	0.3	•	3.1		,	15.7	*	0.5	1.2	6.6
G & P 74+	Pet.	1	1.9	1	1.9		i	7.8	1	1	*	0.9
DELTA- PINE ACALA 90	Pct.	. 1	1.5	27.7	-	1	25.0	10.4	4.1	40.4	33.4	18.1
CARGILL PAY- MASTER HS 200	Pct.	4.7	21.1	ı	3.5	ı	•	15.1	3.8	16.9	4.6	7.2
CARGILL PAY- MASTER HS 26	Pet.	30.0	18.1	42.7	11.5	30.0	45.4	33.1	40.8	17.6	22.8	25.5
CARGILL LANKART SELECTION 611	Pct.	- 1	10.7	ı	33.5	3.3	1	1	*	ı	1.3	5.4
CARGILL LANKART LX-571	Pct.	ı	8.4	1	9.7	,	1		1	1	1.9	2.7
BRONCO 414	Pct.	f	1.3	t	8.1	.1		ı	ı	1	ı	1.0
ALL-TEX QUICKIE	Pct.	3	1.0	1	1.9	1	4.1	8.0	1.9	5.1	6.7	3.4
ALL-TEX ATLAS	Pct.	1	ı	1	1	1	1.3	1.0	t	1	3.0	1.1
STATE AND COUNTY	TFYAS.	FISHER	HASKELL	HOWARD 1/	JONES	KNOX	MARTIN 1/	RUNNELS	SCURRY	TOM GREEN	ALL OTHER	OFFICE TOTAL

1/ A portion of this county is served by Lamesa Classing office. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 3. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	CARGILL LANKART PR-75	CARGILL I LANKART 175	CARGILL LANKART 511	CARGILL PAY- MASTER HS 200	CARGILL PAY- MASTER HS 26	CARGILL PAY- MASTER 145	DELTA- PINE ACALA 90	DELTA- PINE DP 5415	RANGER BB 53	ROSEBUD PR 80	STONE- VILLE 453	TAMCOT CAB-CS	TAMCOT	TAMCOT HQ-90	OTHER	TOTAL
OKI AHOMA	Pet.	Pct.	Pet.	Pct.	Pet.	Pet.	Pct.	Pet.	Pet.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
BECKHAM	1	1	7.9	5.0	74.3	3.9		,	•	ě	1	1	,	1	8.9	100.0
CADDO	1	ı		ŧ	41.4	14.4	1	1	,		•	1			44.2	100.0
GREER	41.0	1		٠	16.0	4.5		1	,	•	1		•	1	38.5	100.0
HARMON	1	1	5.0	1	35.0	20.0	1	1	1			1	1	•	40.0	100.0
JACKSON	1		1	22.0	26.0	1	27.0	15.0	•		1	1	,	4	10.0	100.0
KIDWA	ı	1	ı	11.2	24.4	1	1	1	1	1	1	20.3	1	1	44.1	100.0
TILLMAN	1	17.9	2.9	3.6	1.4	1.4	2.1	3.6	•	,	15.7	12.1	15.7	,	23.6	100.0
WASHITA	11.1	-	11.1	11.1	30.7	19.4	1	1		1	1	4.4	1	!	12.2	100.0
ALL OTHER	25.9	1	3.3	12.8	24.8	11.7	9.0	1.	1	2.7	1	ı		6.0	14.2	100.0
TOTAL	5.6	5.5	3.2	8.7	21.9	6.1	5.0	3.5		0.5	4.8	6.7	8.4	+	23.7	100.0
TEXAS:																
COLLINGSWORTH	,	,		10.0	25.0		ı	, 1	ı	1	10.0	25.0	10.0	20.0	1	100.0
HALL	1	ï	ı	20.0	56.7	21.7	1	1	1	1	1	1	i	ı	1.6	100.0
MOTLEY	ī		1	1	55.0	1	1	1	40.0	1	1	1	1	ı	2.0	100.0
WILLBARGER	1	1	2.0	6.1	46.1	11.7	6.1	1	1		1	,	•	1	28.0	100.0
ALL OTHER	1	1.7	4.1	20.4	47.3	10.2	0.0	1	•	4.0	1	2.9	•	,	9.5	100.0
IUIAL	2	9.0	1.2	15.4	46.8	10.7	6.0	ı	3.0	2.	1.3	4.5	F. 1	5.5	9.0	100.0
OFFICE TOTAL 1/	2.2	2.7	2.6	12.7	36.7	8.8	2.5	1.4	1.8	1.3	2.7	5.3	2.7	1.5	15.1	100.0
1/ Table of the second	2000000	acade V c.	1	toon then O 5 and	+00000								-			

1/ Includes small acreages in Kansas. * Less than 0.5 percent.

Table 4. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

TOTAL	Pet.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
OTHER	Pct.	1.5		4.3	*	3.2	1.1	1.5	
SUREGROW 1001	Pct.	12.1	•	4.1	ı	1	4.4	3.2	
STONE- VILLE 825	Pct.	,		,	0.7	,	3.2	1.7	
STONE- VILLE 506	Pct.	9.1	•	1	*	1	1	9.0	
STONE- VILLE 453	Pct.	12.0		0.8	3.2	4.1	2.5	3.0	
STONE- VILLE KC 311	Pct.	1	1	1.3	1	•	1.4	0.8	
HYPER- FORMER HS 46	Pet.		14.1	3.0	1.3	1.0	9.4	6.0	
DELTA- PINE 51	Pct.	3.4	•	13.3	23.4	39.2	12.2	16.9	
DELTA- PINE 50	Pct.	20.4	,	3.0	62.1	1.1	9.9	14.2	
DELTA- PINE 41	Pct.	1	,		1	14.9	*	1.8	
DELTA- PINE 20	Pct.	1.5	1	7.2	+		2.4	2.1	
DELTA- PINE SUREGROW DES-119	Pct.	40.0	1	6.7	ı	36.5	6.1	9.6	
DELTA- PINE DP 5690	Pct.		24.0	35.3	2.5		12.4	12.6	
DELTA- PINE DP 5415	Pet.	Ē,		21.0	6.1		10.8	9.3	
DELTA- PINE ACALA 90	Pet.	1	61.9		1	1	27.1	16.6	
STATE AND COUNTY		ALABAMA: CHEROKEE	DALLAS	LAWRENCE	I IMESTONE	MADISON	ALL OTHER	OFFICE TOTAL 1/	

1/ Includes small acreages in Florida. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 5. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

		1														
STATE AND COUNTY	ALL-TEX QUICKIE	DELTA- PINE DP 5415	DELTA- PINE SURE-GROW DES-119	DELTA- PINE 20	DELTA- PINE 41	DELTA- PINE 50	DELTA- PINE 51	G & P GP 74+	STONE- VILLE KC 311	STONE- VILLE 453	STONE- VILLE 907	SURE- GROW 1001	TAMCOT CAB-CS	TAMCOT HQ-95	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS: NUECES	8.2	21.8	ı	-	1	10.5	15.9	4.5	25.5	1.1	1	1	5.4	5.8	1.3	100.0
SAN PATRICIO	5.6	14.4	9.0	1	1	44.9	9.4	4.2	9.0	1.1	*	1	10.1	6.7	2.0	100.0
ALL OTHER	9.0	15.2	3.8	22.2	1.4	29.9	8.1	1.5	1	5.6	6.5	1.6	1.3	1	2.3	100.0
OFFICE TOTAL	3.7	16.3	2.0	10.7	0.7	30.9	10.0	3.0	5.2	3.3	3.2	8.0	4.9	3.3	2.0	100.0

* Less than 0.5 percent.

Table 6. Dumas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

DP-5415 St	PINE SUREGROW DES-119	DELTA- PINE 20	DELTA- PINE 41	PINE 50	DELTA- PINE Si	HYPER- FORMER HS-46	STONE- VILLE 453	STONE- VILLE 506	STONE- VILLE 825	STONE- VILLE 907	C-30	TERRA C-40	OTHER	TOTAL
Pct.	1	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
3.8	117	39.7	3.8	23.7	9.8	1.8	14.2	10.2	0.7	3.9		1.3	0.5	
	0	9.0	ı	49.9	15.5	1.3	5.2	18.8	5.1	1	-1	0.8	1.4	
	2	4.	1	44.2	3.5	1.3	29.8	5.6	*	3,3	2.6	4.5	*	
		11	1	34.9	0.09	1.3	1	9.0	í	1	•	-1		
		3.9	1	31.7	23.4	9.1	9.9	1.6	1.6	1.1	1.0	0.8	1.2	
	91	4.	2.6	16.1	14.3	8.6	9.8	0.9	1	*	1.	9.0	0.5	100.0
9.2 12	12	12.7	1.7	26.6	15.4	5,5	12.1	4.3	0.7	1.2.	0.5	1.3	0.5	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 7. El Paso Classing Office; Estimated percentage of cotton acreage planted to specified varieties by counties, crop of 1992

	TOTAL	Pet.	100.0	100.0	100.0	100.0		100.0	100.0	100.0
	OTHER	Pct.	3.6	4.	3.1	2.5		9.2	6.5	4.1
	STONE- VILLE 506	Pet.	1	,	S. I	1		, rc.	2.5	0.9
2001 10 401	STONE- VILLE KC 311	Pct.	32.8	1	1	4		17.0	7.7	6.5
חוורובסו ה	DUNN 400	Pct.	ı	-	20.6	14.0		1 1	i.	7.5
מרוכם הג ה	DELTA- PINE DP 5690	Pct.	4.6		6.0	9.0		1 1		0.8
000	DELTA- PINE ACALA 90	Pct.	51.1	4.4	1.7	2.5	1	19.0	38.0	20.6
abde on o	DEL CERRO	Pct.	1 "	- 1	12			7.3	4.0	1.4
age brance	CHEMBRED CB 219	Pct.		21.	i i	ž.,		14.5	7.9	2.8
מברחון שבו	CARGILL PAY- MASTER HS-28	Pct.	1	6.7	1	2.1		1 1	1	-:
io ofice	CARGILL PAY- MASTER HS 26	Pct.	1	6.0	3.6	2.8		7.8	4.3	3.0
area being	ACALA 1517-91	Pct.		3.8	5.5	2.0		1 1	= 1.	2.7
רבי בפרו	ACALA 1517-88	Pct.	7.9	2.8	18.1	13.2		14.9	14.1	12.9
Since	ACALA 1517-77	Pct.	1	79.5	27.2	43.8		3.9	2.1	24.1
lable 1. It issue diassing of the Latinated percentage of the case planted to specified valieties by countries, clop of 1992.	ACALA 1517-75	Pct.	1.		16.5	11.2		13.7	7.5	9.6
	ACALA 1517 E-2	Pct.	ı	0.5	3.0	2.2		8.8	5.3	3.0
	STATE AND COUNTY	TFXAS.	TOTAL	NEW MEXICO: EDDY	ALL OTHER	TOTAL	ARIZONA:	COCHISE ALL OTHER	TOTAL	OFFICE TOTAL

Table 8. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties by counties, crop of 1992

					,								1			
STATE AND COUNTY	CAROL INA ES-300	DELTA- PINE ACALA 90	DELTA- PINE DP 5415	DELTA- PINE DP 5690	DELTA- PINE SUREGROW DES-119	DELTA- PINE 20	DELTA- PINE 50	DELTA- PINE 51	HYPER- FORMER HS 46	STONE- VILLE COKER 315	STONE- VILLE COKER 320	STONE- VILLE KC311	STONE- VILLE 453	SUREGROW 1001	OTHER	TOTAL
MORTH CAROLINA	Pct.	Pct.	Pct.	Pet.	Pet.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.	Pet.	Pet.
CLEVELAND	ı	24.1	3.9	0.5	12.2	ı		ı	2.1	ı	ı	6.2	1	1	51.0	100.0
HALIFAX	ı	*	5,3	ŧ	22.1	30.0	16.3	1	13.8	1	1	1	•	ı	12.1	100.0
NORTHAMPTON	1	5.5	4.0	2.0	16.0	13.0	18.3	11.5	3.0		3.8	3.8	2.8	1	13.3	100.0
ALL OTHER	•	8.0	7.1	4.5	10.2	12.5	17.6	4.7	11.1	0.8	3.9	5.9	4.8	1.5	7.4	100.0
TOTAL	ı	7.1	6.7	4.1	11.9	14.2	17.4	4.7	10.7	7.0	3.5	5.1	4.1	1.2	8.5	100.0
SOUTH CAROLINA	u	000	u	į	3	0						,				
MADI DOOD	0.1	200.3	0.7	7.7	14.1	0.0	ı	•	7.41	4.0	14.3	۲ د	3./	1.7	5.1	100.0
SUMTER	1 1	42.3	0 1	0.0	1.3 4.7.	1 1	1 1	1 (, c	1.22	2.52	3.7	5. c	0.0	0.00
ALL OTHER	13.6	34.0	3.6	4.1	3.1	3.4	1.1	1.6	7.0	2.7	2.8	14.7	1.2	0.5	3.00	100.0
TOTAL	8.5	33.5	3.1	4.9	5.9	2.2	0.7	1.0	7,1	2.5	9.6	13.3	1.9	2.0	3.8	100.0
VIRGINIA TOTAL	ı	35.1	1	13.7	2.6	20.4	24.5	1	3.7	t	1	ı	ı	ŧ	1	100.0
OFFICE TOTAL	2.7	16.7	5.3	4.7	9.6	10.6	12.3	3.4	ဗို့ဘ	1.2	5.3	7.6	3,3	1.4	6.7	100.0
							-									

+ Less than 0.5 percent.

NOIE: Totals may not add due to rounding.

	Table 9.	Greenwood	Classing 0	Iffice: Es	timated per	rcentage o	f cotton a	Table 9. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties,	nted to sp	ecified va	rieties, b	, counties	, crop of 1992	7661		
STATE AND COUNTY	CHEMBRED CB 1135	DELTA- PINE ACALA 90	DELTA- PINE DP 5415	DELTA- PINE DP 5690	DELTA- PINE SUREGROW DES-119	DELTA- PINE 20	DELTA- PINE 50	DELTA- PINE 51	HYPER- FORMER HS 46	STONE- VILLE LA-887	STONE- VILLE 453	STONE- VILLE 506	STONE- VILLE 825	TERRA C-40	OTHER	TOTAL
MISSISSIDDI	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.
BOLIVAR	1	ı	47.2	ı	21.6	14.7	14.7	ı	ŝ	t	1.8	ı	1	1	ı	100.0
СОАНОМА	1	ı	1.1	9.0	59,3	1	16.6	1	ı	t	16.6	ı	9.0	5.2	1	100.0
HINDS	0°6	0.9	10.0	1	20.0	3.0	23.0	12.0	8.0	1	1	5.0	1	4.0	•	100.0
HOLMES	ı	1	1	1	7.0	41.8	22.3	25.9	1	1	1.8	1	1	1.2	1	100.0
HUMPHREYS	1	1	1	ı	3.8	11.5	58.5	22.4	ı	1	3.8	1	1	ı	1	100.0
LEFLORE	1	ŀ	11.8	9.0	34.7	23.0	17.7	8.9	ı	1	3.3	1	ı	1	1	100.0
MADISON	1	20.1	8.7	16.2	24.3	ı	14.0	7.9	1	ì	3.5	0.9	1	1	4.4	100.0
OUITHAN	4:1	1	8.1	1	20.0	17.8	40.0	ı	t	1	5,9	1	1	1	4.1	100.0
SHARKEY	0.8	1.0	15.6	ı	11.0	12.0	44.1	14.5	ı	ı	1	1.0	1	1		100.0
SUNFLOWER	•	ł	ı	1	17.6	16.8	50.2	5.9	1	1	7.8	1.7	1	1	t	100-0
TALLAHATCHIE	t	35.1	23.2	-	1	15.4	26.3	1	ı	1	1	1	ŧ	ı	ı	100.0
TUNICA	1	1	31.3	ı	25.3	ı	31.3	1	1	12.1	1	1	1	1	ı	100.0
WASHINGTON	t	16.1	8.3	1	7.3	ŀ	46.9	21.4	1	1	1	1	1	ı	ŀ	100.0
VAZ00	9.0	9.0	10.0	1	1.9	20.6	40.6	15.9	1.1	1	1.1	1	6.8	0.8	ł	100.0
ALL OTHER	9°0	2.6	7.5	1.6	14.9	17.5	37.6	8.2	2.5	0.5	1.9	2.4	1	0.5	1.7	100.0
OFFICE TOTAL	0.5	4.9	11.0	0.9	17.71	14.0	34.1	9.8	9.0	0.5	3.4	0.7	9.0	0.7	0.6	100.0

lable 10. Harlingen Ulassing Uffice: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

TOTAL	Pct.	100.0	100.0	100.0	100.0	100.0
OTHER	Pct.	3.6	3.5	3.2	ı	3.4
TERRA C-30	Pct.	ı	3,5	*	20.0	1.4
SUREGROW 1001	Pct.	7.2	3.2	4.5	1	4.9
STONE- VILLE 453	Pct.	1.4	1.0	ı	1	0.7
STONE- VILLE KC311	Pct.	4.7	3.7	2.2	1	3.4
HYPER- FORMER HS 46	Pct.	e, e,	+ c	2.4	ı	2.0
G & P GP 74+	Pct.	2.4	\$	0.5	, t	1.0
DELTA- PINE 51	Pct.	19.0	20.7	28.8	1	22.8
DELTA- PINE 50	Pct.	5,3	25.4	36.5	40.0	23.4
DELTA- PINE 41	Pet.	1	\$	0.1	je t	0.7
DELTA- PINE 20	Pct.	1,3	4.0	6.0	1	1.9
DELTA- PINE SURE-GROW DES-119	Pct.	ı	3.1	ı	i	0.9
DELTA- PINE DP 5690	Pct.	29.0	8.7	8.1	ı	14.9
DELTA- PINE DP 5415	Pct.	12.8	21.3	10.5	40.0	14.8
DELTA- PINE ACALA 90	Pct.	10.1	1.9	*	1	3.9
STATE AND COUNTY	TFXAS:	CAMERON	HIDALGO	WILLACY	ALL OTHER	OFFICE TOTAL

^{*} Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

TOTAL	Pct.	100:0	100.0	100.0	100.0	100.0	100.0	100.0	100:0	100:0	100.0	100.0
OTHER	Pct.	*	ı	1.2		Angelo del	··· 0°2	40		ı	*	**
TERRA C-40	Pct.	2.0	1.0	2.0	0.8	1.6	1	*	+	er I	*	0.9
STONE- VILLE 907	Pct.	*	ဆီ	1.7	*	1.5		0.8	1	i	.; -##	0.9
STONE- VILLE 825	Pct.	ı	8	4.0	ı	0.8	1	1	ı	9.0	*	*
STONE- VILLE 506	Pct.	6.7	34.9	20.8	က္	16.7	1.9	4.7	1.1	9.6	4.0	o. °o
STONE- VILLE 453	Pċt.	11.6	22.8	42.2	32.1	22.5	7.7	8.2	27.8	7.4	11.1	16.4
MD-51	Pct.	ı	ŧ	t	1	ı	., .	0.5	t	,I	- *	*
HYPER- FORMER HS 46	Pct.	1.	. 1	1	*	*	,*	1.0	3.1	^ L_		9.0
DELTA- PINE 51	Pct.	8.3	7.4	3.2	5.7.	6.1	20.7	7.4	12.9	9*0	10.6	8.5
DELTA- PINE 50	Pct.	45.4	16.4	11.4	32.9	30.1	12.7	53.9	13.5	60.5	38.7	34.7
DELTA- PINE 20	Pċt.	18.6	. ·	2.0	13.5	6.6	42.1	12.4	26.3	7.8	20.9	15.8
DELTA- PINE SUREGROW DES-119	Pct.	1.9	10.4	3.2	0.5	4°3	5.7	4.5	1.8	12.4	5.2	4.8
DELTA- PINE DP:5415	Pct.	5.9	2.8	5.0	7.2	5.0	7.9	4.5	13.1	9.0	6.2	5.7
CHEMBRED CB 333	Pct.	*	- c	2.1	*	7.0	·	*	1	ı	+r	*
CHEMBRED CB 1135	Pet	*	1 .	1.2	*	*.	0.5	. F. 1.3.	t	0.5	0.8	9.0
STATE AND COUNTY	M1950HD1	DUNKLIN	NEW MADRID	PEMISCOT	ALL OTHER	TOTAL	ARKANSAS: CRAIGHEAD	MISSISSIPPI	POINSETT	ALL OTHER	TOTAL	OFFICE TOTAL

^{*} Less than 0.5 percent.

Table 12. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

TOTAL	Pct.	100.0	100.0	100.0	100.0	100.0	100.0
OTHER	Pct.	2.5	1.4	5.0	17.6	5.2	3.8
TAMCOT SP21	Pct.	13.0	1	1	10.7	ı	3.0
ТАМСОТ	Pct.	1	ı	3.8	ı	ı	*
TAMCOT CAMB-E	Pct.	1	ı	ı	1	2.8	0.7
TAMCOT CAB-CS	Pct.	9.0	1	٠	17.6	9.1	3.3
SEEDCO DELTA- PINE SR-383	Pet.	2.1	4.9	•	ı	2.9	3.0
RANGER BT0-72	Pet.	ı	1	1	1	2.4	9.0
RANGER BB 53	Pct.	i	1.6	1	ı	2.4	1.2
DELTA- PINE ACALA 90	Pct.	0.5	1	ı	7.9	7.7	2.5
C-13	Pct.	ŧ	•	8	1	2.6	0.7
CARGILL PAY- MASTER 145	Pct.	1.3	4.8	3.9	4.6	8.0	4.8
CARGILL PAY- MASTER HS 26	Pct.	79.7	65.4	87.3	36.9	10.0	55.3
CARGILL PAY- MASTER HS 200	Pct.	-k	17.2	ı	4.6	39.5	17.0
ALL-TEX OUICKIE	Pct.	1	4.7	ı	1	5.1	3.1
ACALA 1517 E-2	Pct.	1	1	1	1	2.4	9.0
STATE AND COUNTY	TEXAS:	DAMSON	GAINES 1/	LYNN 1/	MARTIN 2/	ALL OTHER	OFFICE TOTAL 3/

^{1/} A portion of this county is served by Lubbock Classing Office. 2/ A portion of this county is served by Abilene Classing Office. 3/ Includes small acreages in New Mexico. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 13. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

,:	? TOTAL	Pet.		100.0	100.0	100.0	100.0	100.0	100-0	100.0	100.0	100.0	100.0	100.0	100.0	100	100-0	100.0	100.0
	OTHER	Pct.		15.0	4.4	1	1.8	6.8	5.8	2.8	-	2.4	1	1	2	2.2	10.0	4.9	3.6
7007 10	TAMCOT CAMD-E	Pct.		6	1	ı	1.0	1	ı	3,4	1	ı	1	1	ı	1		ı	0.5
مادعة حامل	SOUTH- WEST 222	Pct.			1	1	1	1	ı	ı	ı	1	ı	ı	ı	4.3	ł	ı	0.9
	SEEDCO DELTA- PINE SR-383	Pct.		ı	i	1	1.0	ı	ı	3.5		1	10.4	1	ı	ı	:	ı	1.7
	SEEDCO COKER 500	Pct.		1	1	ı	1	1	ı	. 1	1	í	5.8	ı	1	1		1	0.8
	RANGER TM 62	Pct.		1	1	ı	14.8	ı	ı	,	ı	•	0.8	f	ı	ı	•	2.2	1.5
	RANGER BB 53	Pct.		ı	ı	8	1	1	ı	ı	ı	1.6	1.9	1	1	1	•	6.1	1.2
	DUNN 400	Pct.		ı	ŧ	ı	1	ı	1	1	ı	ŧ	3.8	ı	ţ	ŝ	ŧ	t	0.5
	CARGILL PAY- MASTER 892	Pct.			1	1	ı	1	7.2	ı	ı	1.	0.8	ı	7.6	1	ı	-\t	0.7
	CARGILL PAY- MASTER 145	Pct.		15.5	52.7	1	49.2	9°6	25.3	7.9	34.3	26.5	0.8	ı	71.1	2.8	25.0	12.4	15.5
	CARGILL PAY- MASTER HS200	Pct.		15.0	41.8	ı	3.0	48.6	33°8	3.6	35.7	36.6	3°8	52.7	12.8	17.1	15.0	30.2	18.3
	CARGILL PAY- MASTER HS 26	Pct.		t	ı	1	28.5	32.0	25.3	76.7	. 20.7	18.3	65.8	46.7	1	70.3	50.0	38.1	48.1
	BROWN & GREEN	Pct.		1	ı	ı	ı	1	ı	1	ı	14.6	1	1	1	1	ı	1	1.2
	ALL-TEX E-2	Pct.		8.2	1.1	ŧ	ı	t	ı	1	ı	1	i	*	1	1	ı	1.9	*
	ALL-TEX QUICK IE	Pct.		46.3	1	100.0	1	1	2.5	4.0	7.5	1	4.6	*	1	3.3	1	3.8	5.2
	STATE AND COUNTY		TEXAS:	BAILEY	CASTRO	COCHRAN	CROSBY	FLOYD	HALE	HOCKLEY	LAMB	LUBBOCK	LYNN 1/	PARMER	SWISHER	TERRY 1/	YOAKUM 1/	ALL OTHER	OFFICE TOTAL 2/

^{*} Less than 0.5 percent. 1/ A portion of this county is served by Lamesa Classing Office. 2/ Includes small acreages in New Mexico.

Table 14. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

						,										
STATE	CHEMBRED	DEL TA-	DELTA-		DEL TA-	DEL TA-	DELTA-	HYPER-	STONE-	STONE-	STONE-	STONE-	STONE-	SUREGROW		To the sam then tally the then then then
AND	CB 1135	PINE	PINE		PINE	PINE	PINE	FORMER	VILLE	VILLE	VILLE	VILLE	VILLE	1001	OTHER	TOTAL
COUNTY		ACALA 90	DP 5415	DP 5690	SURE-GROW DES-119	20	. 51	HS-46	KC 311	453	206	825	206			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.
EORGIA:																
BURKE	ı	41.8	12.7	12.7	6.4	1	6.4	18.2	•	1	ı	ı	1	ŝ	1.8	100.0
COLQUITT	1.1	79.5	1.7	6.1	1.0	0.8	1.2	7.1	ı	1	1	ı	1	*		100.0
DOOLY	*	37.2	16.9	10.3	3.7	4.9	2.3	1	-k	3.6	0.7	1	10.1	5.6	4.2	100.0
ALL OTHER	0.7	54.1	5.6	11.8	9.9	1.2	5.0	2.3	1.8	1.9	0.8	3.0	-¢t	2.3	2.8	100.0
DFFICE TOTAL 1/	9.0	52.9	7.5	11.3	5.7	1.5	4.5	3.6	1.3	1.9	9.0	2.1	1.4	2.4	2.8	100.0

1/ Includes small acreages in Florida. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 15. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

Pet. Pet. <th< th=""><th>STATE AND COUNTY</th><th>CHEMBRED</th><th>DELTA- PINE ACALA 90</th><th>DELTA- PINE DP 5415</th><th>DELTA- PINE SURE-GROW DES-119</th><th>DELTA- PINE 20</th><th>DELTA- PINE 50</th><th>DELTA- PINE 51</th><th>HYPER- FORMER HS 46</th><th>MD-51</th><th>STONE- VILLE 453</th><th>STONE- VILLE 506</th><th>STONE- VILLE 825</th><th>STONE- VILLE 907</th><th>C-40</th><th>OTHER</th><th>TOTAL</th></th<>	STATE AND COUNTY	CHEMBRED	DELTA- PINE ACALA 90	DELTA- PINE DP 5415	DELTA- PINE SURE-GROW DES-119	DELTA- PINE 20	DELTA- PINE 50	DELTA- PINE 51	HYPER- FORMER HS 46	MD-51	STONE- VILLE 453	STONE- VILLE 506	STONE- VILLE 825	STONE- VILLE 907	C-40	OTHER	TOTAL
6.6 2.9 19.4 53.3 12.1 3.7 3.9 6.7 19.3 53.6 16.3 - 16.3 7.4 30.9 37.7 17.0 14.9 - 17.4 7.4 30.9 37.7 17.0 14.9 - 17.4 7.4 7.9 13.8 47.5 18.7 20.4 4.3 7.5 7.9 13.8 47.5 18.7 11.3 2.8 7.6 11.1 - 21.3 51.8 11.4 - 12.6 7.9 17.9 13.8 51.8 11.1 0.7 7.8 2.0 4.4 22.4 56.1 0.6 0.9 - 11.1 0.7 7.9 17.4 52.3 8.7 - 15.8 1.7 7.0 8 - 2.9 2.9 23.9 46.3 5.8 + - 12.6 2.7 7.0 8 - 2.7 21.1 - 13.8 2.5 1.3 7.1 1.4 5.3 2.5 1.3 8.7 - 13.8 6.6 7.2 - 2.7 21.1 - 21.7 21.1 - 2 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
6.6	TENNESSEE:																
3.9 - - 6.7 19.3 53.6 - - 16.3 - 7.4 - - - - - - 14.9 - - 14.9 - - 14.9 -	CROCKETT	ł	1	9.9	2.9	19.4	53.3	1	1	1	12.1	3.7	*	1.6	ı	*	100.0
3.3 - - - 37.6 24.9 18.4 - - 14.9 - 7.4 1.1 30.9 37.7 17.0 - - 1.7 - - - 7.4 1.1 37.1 3.4 - - 1.7 - - - 0.8 11.4 57.1 3.4 - - 20.4 4.3 - - - 0.8 11.4 57.1 3.4 - - 20.4 4.3 - - 11.1 - 21.3 51.8 - - 11.3 2.8 - - 2.0 4.4 27.0 36.0 8.5 11.4 - 12.6 0.8 - 2.9 2.9 23.9 46.3 5.8 * - 16.8 17.1 0.8 - 2.2 2.9 23.9 46.3 5.8 * - 11.9 - 11.9 0.8 - 2.2 2.2 2.3 46.3	FAYETTE	ı	1	1	6.7	19.3	53.6	ı	1	1	16.3	1	4.1	ı	1	1	100.0
7.4 30.9 37.7 17.0 1.7 - 1.7 1.7 - 1.7 1.7 - 1.1 30.9 47.9 1.1 30.9 47.9 1.1 1 3.4 1.1 1 3.4 4.3 1.1 1 3.4 4.3 1.1 1 3.4 4.3 1.1 1 3.4 4.3 1.1 1 3.4 4.3 1.1 1 3.4 4.3 1.1 1 3.4 4.3 1.1 1 3.4 4.3 1.1 1 3.4 4.3 1.1 1 3.4 4.3 1.2 6.3 1.2 6.3 1.1 1 1 0.7 1 1.3 1 0.8 1.3 1.4 1 1.4 1 1.3 1 1	GIBSON	3.9	1	1	1	37.6	24.9	18.4	1	1	14.9	1	*	ł	1	1	100.
7.4 1.1 30.9 47.9 8.4 4.3	HARDEMAN	7.4	•	1	1	30.9	37.7	17.0	1	1	1.7	1	3.9	ı	1	1.4	100.
0.8 11.4 57.1 3.4 20.4 4.3 2.8 11.1 - 11.1 2 21.3 51.8 11.1 3 2.8 11.3 51.8 11.1 3 2.8 11.1 0.7 11.1 0.7 11.1 0.7 0.9 - 11.1 0.7 11.1 0.7 0.9 - 11.1 0.7 0.9 - 11.1 0.7 0.9 - 11.1 0.7 0.8 - 2.0 4.4 27.0 36.0 8.5 1.4 - 16.8 11.7 0.7 0.8 - 2.9 2.9 23.9 46.3 5.8 * - 12.6 2.7 11.1 0.7 0.8 19.7 6.2 14.6 7.8 13.8 2.5 - 8.8 18.7 4.1 18.8 0.8 19.7 6.2 14.6 7.8 13.8 2.5 - 8.8 18.7 4.1 18.8 0.8 19.7 6.2 14.6 7.8 13.8 2.5 - 2 8.8 18.7 4.1 18.4 2.5 0.8 11.4 6.8 54.5 - 2 2.7 2.3 - 2 2.3 - 2 2.3 11.4 6.8 54.5 - 2 2.3 - 2 2.3 - 2 2.3 - 2 2.3 11.4 6.8 54.5 - 2 2.3 - 2 2.3 - 2 2.3 - 2 2.3 11.4 6.8 54.5 - 2 2.3 - 2 2.3 - 2 2.3 - 2 2.3 - 2 2.3 11.4 6.8 54.5 - 2 2.3 - 2 2.3 - 2 2.3 11.3 10.8 41.3 12.0 - 2 8.3 4.8 18.1	HAYMOOD	1	i	7.4	1.1	30.9	47.9	6	1	ŧ	8.4	4.3	1	1	ı	1	100
7.9 13.8 47.5 16.7 11.3 2.8	LAUDERDALE	1	1	ł	8.0	11.4	57.1	3.4	1	1	20.4	4.3	1	ı	1	2.6	100.0
11.1 21.3 51.8 12.6 4.4 22.4 56.1 0.6 0.9 - 11.1 0.7 0.8 - 2.0 4.4 27.0 36.0 8.5 1.4 - 16.8 1.7 0.8 - 2.9 2.9 23.9 46.3 5.8 * - 12.6 2.7 7.8 - 17.4 52.3 8.7 15.3 - 15.3 - 15.4 0.8 19.7 6.2 14.6 7.8 13.8 2.5 - 8.8 18.7 4.1 59.4 3.7 - 17.3 - 1.3 - 7.4 18.1 20.9 3.0 12.4 29.0 5.6 * 0.7 18.4 2.5 24.4 18.1 18.0 - 42.8 12.5 40.9 4.0 2.5 2.0 11.3 10.8 41.3 12.0 1.3 3.4	MADISON	1	1	1	7.9	13.8	47.5	16.7	1	1	11.3	2.8	ŧ	t	1	1	100.
- - - 4.4 22.4 56.1 0.6 0.9 - 11.1 0.7 0.8 - 2.0 4.4 27.0 36.0 8.5 1.4 - 16.8 1.7 0.8 - 2.9 2.9 23.9 46.3 5.8 + - 12.6 2.7 - - 2.2 - 17.4 52.3 8.7 - 12.6 2.7 - - 7.8 - 21.1 - - 15.3 - 1.7 - 17.3 - 1.8 6.6	SHELBY	1	1	11.1	1	21.3	51.8	ı	1	1	1	12.6	1	ı	3.2	1	100.
0.9 - 2.0 4.4 27.0 36.0 6.5 1.4 - 16.8 1.7 0.8 - 2.9 2.9 23.9 46.3 5.8 * - 12.6 2.7 2.2 - 2.2 - 17.4 52.3 8.7 - 13.8 6.6 59.4 3.7 - 17.3 - 1.3 - 1.3 - 1.3 - 1.3 0.8 19.7 6.2 14.6 7.8 13.8 2.5 - 8.8 18.7 4.1 0.8 1.6 20.9 3.0 12.4 29.0 5.6 * 0.7 18.4 2.5 18.0 - 48.0 24.0 - 2.7 4.0 2.5 2.0 11.3 10.8 41.3 12.0 - 8.3 4.8	TIPTON	ı	•	ı	4.4	22.4	56.1	9.0	0.9	1	11.1	0.7	1	ı	1	3.8	100.
6.8 - 2.9 2.9 23.9 46.3 5.8 * - 12.6 2.7 2.2 - 2.2 - 17.4 52.3 8.7 - - 15.3 - - - 7.8 - 21.7 21.1 - - 37.8 6.6 - - 59.4 3.7 - 17.3 - - 37.8 6.6 - - 59.4 3.7 - 17.3 - 1.3 - 7.4 1.8 0.8 19.7 6.2 14.6 7.8 13.8 2.5 - 8.8 18.7 4.1 - - 9.1 15.9 11.4 6.8 54.5 - - 2.3 - 2.3 - 0.8 1.6 20.9 3.0 12.4 29.0 5.6 * 0.7 18.4 18.1 - - - - 29.7 23.8 - - - 2.4 18.1 -	ALL OTHER	0.9	1	2.0	4.4	27.0	36.0	8.5	1.4	1	16.8	1.7	1	ı	9.0	0.7	100.0
2.2 - 2.2 - 17.4 52.3 8.7 - - 15.3 - - - 7.8 - 21.7 21.1 - - 37.8 6.6 - - 59.4 3.7 - 17.3 - 7.4 1.8 - - 59.4 3.7 - 17.3 - 7.4 1.8 - - 9.1 15.9 11.4 6.8 54.5 - 8.8 18.7 4.1 - - 9.1 15.9 11.4 6.8 54.5 - - 2.3 - - - 9.1 12.4 29.0 5.6 + 0.7 18.4 2.5 - - - - - - - - 24.4 18.1 -<	TOTAL	0.8	1	2.9	2.9	23.9	46.3	5.8	-#	1	12.6	2.7	*	*	*	0.9	100.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	- Contraction	10															
21.7 21.7 21.1 -	CDITTENDER	00	ı	0 0	,	17 4	50.3	7 0	1		6 7		0				9
	ייייי דיייי	7.7		2 00	1	11.1	26.5		1	1	13.3		1.3		1	F (200
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	LEE	ı	1	8.7		/*17	21.12	1	1 .	ı	3/.8	5.6		ı	ı	2.0	100
0.8 19.7 6.2 14.6 7.8 13.8 2.5 - 8.8 18.7 4.1 - - 9.1 15.9 11.4 6.8 54.5 - - 2.3 - 0.8 1.6 20.9 3.0 12.4 29.0 5.6 * 0.7 18.4 2.5 - - - - 29.7 23.8 - - 24.4 18.1 - - - 18.0 - 48.0 24.0 - - 4.0 4.7 2.9 2.4 12.1 9.4 42.8 12.5 - 7.1 3.4 4.0 2.5 2.0 11.3 10.8 41.3 12.0 - - 8.3 4.8	PHILL IPS	1	1	59.4	3.7	1	17.3	1	1.3	1	7.4	1.8	7.4	1	ı	1.7	100
- - 9.1 15.9 11.4 6.8 54.5 - - 2.3 - 0.8 1.6 20.9 3.0 12.4 29.0 5.6 * 0.7 18.4 2.5 - - - - 29.7 23.8 - - 24.4 18.1 - - - 18.0 - 48.0 24.0 - 4.0 4.7 2.9 2.4 42.8 12.5 - - 4.0 4.0 2.5 2.0 11.3 10.8 41.3 12.0 - - 8.3 4.8	ST.FRANCIS	0.8	19.7	6.2	14.6	7.8	13.8	2.5	1	8	18.7	4.1	•	2.1	ı	0.9	100
0.8 1.6 20.9 3.0 12.4 29.0 5.6 * 0.7 18.4 2.5 29.7 23.8 24.4 18.1 18.0 - 48.0 24.0 - 4.0 4.7 2.9 2.4 12.1 9.4 42.8 12.5 - 7.1 3.4 4.0 2.5 2.0 11.3 10.8 41.3 12.0 - 8.3 4.8	ALL OTHER	1	1	9.1	15.9	11.4	8.9	54.5	ě	1	2.3	t	ı	ı	1	+	100.0
24.4 18.1 48.0 24.0 - 48.0 4.0 4.7 2.9 2.4 12.1 9.4 42.8 12.5 7.1 3.4 4.0 2.5 2.0 11.3 10.8 41.3 12.0 8.3 4.8	TOTAL	0.8	1.6	20.9	3.0	12.4	29.0	5.6	-dx	7.0	18.4	2.5	2.8	*	ı	1.8	100.0
24.4 18.1 18.0 - 48.0 24.0 4.0 4.7 2.9 2.4 12.1 9.4 42.8 12.5 7.1 3.4 4.0 2.5 2.0 11.3 10.8 41.3 12.0 8.3 4.8	MISSISSIPPI:																
4.7 2.9 2.4 12.1 9.4 42.8 12.5 7.1 3.4 4.0 2.5 2.0 11.3 10.8 41.3 12.0 8.3 4.8	MARSHALL	1	1	1	•	29.7	23.8	1	ı	1	24.4	18.1	1	4.0	1	ı	100.
4.7 2.9 2.4 12.1 9.4 42.8 12.5 - - 7.1 3.4 4.0 2.5 2.0 11.3 10.8 41.3 12.0 - - 8.3 4.8	TATE	ł	1	1	18.0	ı	48.0	24.0	1	ı	1	4.0	6.0	ı	ı	ı	100.0
4.0 2.5 2.0 11.3 10.8 41.3 12.0 8.3 4.8	ALL OTHER	4.7	2.9	2.4	12.1	9.4	42.8	12.5	ı	ı	7.1	3.4	1.6	9.0	*	*	100
	TOTAL	4.0	2.5	2.0	11.3	10.8	41.3	12.0	1	ı	8.3	4.8	1.7	0.9	-dx	*	100.0
. 1.5 0.8 5.9 4.8 19.0 42.1 7.1 + + 12.7 3.1	OFFICE TOTAL	1.5	9.0	5.9	4.8	19.0	42.1	7.1	-lt	*	. 12.7	3.1	1.1	*	*	6.0	100.0

1/ * Less than 0.5 percent.

STATE	DELTA-	DELTA-	DELTA-	DELTA-	DELTA-	DEL TA-	DEL'TA-	DELTA-	DELTA-	DELTA-	HYPER-	STONE-	SURE-	TERRA		
COUNTY	ACALA	PINE DP 5415	PINE DP 5461	DP 5690	PINE DP 5816	PINE 20	PINE 41	PINE 50	PINE 51	PINE 77	FORMER HS 46	VILLE 453	GROW 1001	C-40	OTHER	TOTAL
	90															
170NA•	Pct.	Pct.	Pct.	Pct.	Pet.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.	Pct.	Pct.	Pct.	Pct.
MARICOPA	8.9	58.2	1.3	2.3	8.5	5.8	*	1	0.9	2.2	1.3	1.4	6.2	•	3 6	0001
PINAL	25.1	50.5	2.9	*	1.2	6.4	8:0	+	0.9	*	4.1	2.6	0.5		4 7	100.00
YUMA	1.8	54.4	2.8	3.0		+	1.4	21.0	8.7	1	1.0		- 3	8	2.6	1001
ALL OTHER	7.7	52.0	1.3	+	12.0	4.2	1	4.1	1.6	1.2	2.8	1	2.8	3.2	6.6	100.0
TOTAL	14.4	52.8	2.0	1.3	2.0	8.9	0.5	2.0	1.5	1.1	2.4	2.1	3.4	9.0	4.2	100.0
CALIFORNIA: TOTAL 1/	10.7	59.9	12.4	5.0		7.4		•	- '	2.7	,	1.3		= 1		100.0
OFFICE TOTAL	14.1	53.4	2.9	1.6	4.5	6.9	0.5	1.8	1.4	1.2	2.2	2.0	3.1	9.0	9.0	100.0

NOTE: Totals may not add due to rounding.

OTHER 6.6 3.5 1.5 1.4 1.4 3.4 Pct. 2.7 TERRA C-40 Table 17. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1992 Pct. 2.4 2.4 1.3 SURE-GROW 1 1 8 8 1 1 1 1 1 Pct. STONE-VILLE Pet. 6.4 1.4 STONE-VILLE 506 1.0 Pct. 1.8 STONE-2.9 1.6 2.9 4.5 7.2 3.7 HYPER-Former HS 46 1.2 1.2 2.7 5.3 3.9 21.8 6.2 DELTA-PINE 7.2 7.5 13.2 7.8 14.4 14.4 6.1 11.8 Pct. DELTA-PINE 50 27.1 27.2 3.9 3.9 13.1 5.9 18.5 7.2 9.8 Pct. DELTA-PINE 11.3 10.0 3.6 Pct. DEL TA-PINE 10.9 8.0 16.2 26.8 42.8 5.2 5.2 16.0 Pct. 16.8 20 SURE-GROW DES-119 DELTA-PINE 1.0 2.7 Pct. 25.1 DELTA-PINE DP 5690 6.5 4.0 15.8 13.2 29.6 9.3 11.3 Pct. DP 5415 2.7 6.6 12.9 13.9 10.3 2.1 2.1 11.3 Pct. 19.5 ACALA 90 DEL TA-PINE 9.8 24.1 15.3 10.7 5.0 5.0 16.2 47.3 9.8 15.2 Pct. OFFICE TOTAL 1/ WEST CARROLL ALL OTHER EAST CARROLL STATE AND PARISH MOREHOUSE FRANKLIN RICHLAND LOUISIANA: TENSAS RAPIDES

100.0 100.0 100.0 100.0 100.0 100.0

100.0

TOTAL

1/ Includes some small acreage from Mississippi. * Less than 0.5 percent.

Table 18. Visalia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

	57-5	ACALA MAXXA	ACALA PREMA	CPCSD ACALA ROYALE	CPCSD ACALA SJ-2	DELTA- PINE DP 6166 ACALA:	GERMAIN'S ACALA GC-356	GERMAIN'S ACALA GC-510							OTHER	TOTAL
CAL IFORNIA:	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.	Pct.	Pct.						
FRESNO	1	24.2	0.7	10.5	20.7	3.4	1.5	39.0							*	100.0
(ERN	1.0	21.5	9.3	20.6	31.9	1.9	2.6	10.4							0.8	100.0
INGS	1	20.0	1.0	11.0	33.0	2.0	9.0	24.0							1	100.0
IADERA	0.5	24.7	2.5	12.9	18.8	2.2	5.4	33.1							1	100.0
ERCED	3.2	19.1	9.0	3.7	10.0	3.1	2.7	57.7							1	100.0
TULARE	*	26.2	2.3	8.9	19.3	4.6	2.5.	35.9							1	100.0
OFFICE TOTAL	0.5	22.6	2.8	11.9	24.3	2.9	3.8	31.0							*	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 19. Waco Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

	TOTAL	Pct.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	-
	ОТНЕВ	Pct.	1	1	1	18.6	1	3.1	*	5.3	3.7	
1332	SURE- GROW 1001	Pct.	1	25.0	ł	1	ı	ī	*	0.7	2.8	
es, crop o	STONE- VILLE 825	Pet.	10.0	,	,	1	1	6.3	ŧ	1.5	2.0	
by country	STONE- VILLE 453	Pct.	5.0	1	12.7	1	-	1.6	1	*	1.2	
cotton acreage pranted to specified varieties, by countries, crop or	STONE- VILLE 112	Pct.	10.0	1	1	1	1	1.6	ŧ	1	0.9	
nai i nade	HYPER- FORMER HS 46	Pct.	1	•	15.0	í	1	1	*	13.0	6.2	
lanten to	G & P GP 74+	Pct.	1	,		14.1	1	1	1	1.3	1.4	
aci cage	DELTA- PINE 51	Pct.	30.0	1	27.3	9.4	5.0	62.2	ı	7.9	13.7	
מו כמרכם	DELTA- PINE 50	Pct.	20.0	1	22.3	22.3	10.0	6.3	1	16.0	11.7	
מבו בבוורם אל	DELTA- PINE 20	Pct.	ı	1	17.7	1.4	1.8	1.6	•	3.6	2.5	
rarimaren percentage ol	DELTA- PINE DP 5690	Pct.	1	2.0	ı	1.0	2.3	0.7	12.4	3.0	3.8	
	DELTA- PINE DP 5415	Pct.	20.0	10.0	2.0	3.4	46.7	13.4	30.5	9.4	15.4	
Since on a	DELTA- PINE ACALA 90	Pct.	5.0	20.0		27.7	33.3	3.2	48.9	18,3	24.0	
ישמנה כומסחים כי יכני	CARGILL LANKART SELECTION 611	Pct.	1	ı	i	1	í	r	ı	3.3	1.4	
	ALL-TEX MAX-9	Pct.	ı	10.0	t	2.1	6.0	1	7.5	16.3	9.2	
	STATE AND COUNTY	TEXAS:	BRAZ0S	ELLIS	FT BEND	HILL	NAVARRO	ROBERTSON	WILLIAMSON	ALL OTHER	OFFICE TOTAL	

* Less that 0.5 percent.

Table 20. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1992

State	Pima S-5	: Pima S-6	Pima S-7	GERMAIN'S 253	TOTAL
	Percent	Percent	Percent	Percent	Percent
Arizona	2.0	84.8	12.9	*	100.0
California	-	99.4	*	0.5	100.0
New Mexico	-	98.5	1.5	-	100.0
Texas	-	98.7	1.3	-	100.0
All Other 1/	-	100.0	-	-	100.0
United States	0.8	93.5	5.4	*	100.0

^{1/} Includes small acreages in Alabama and Mississippi.

MOTE: Totals may not add due to rounding.

Table 21. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1992

Classing Offices	Pima S-5	Pima S-6	Pima S-7	GERMAIN'S 253	TOTAL
	Percent	Percent	Percent	Percent	Percent
Corpus Christi:	-	100.0	-	-	100.0
_1 Paso:					
Arizona	-	97.9	2.1	-	100.0
New Mexico	-	98.5	1.5	-	100.0
Texas	-	98.5	1.5	-	100.0
Office total 1/	-	98.3	1.7	-	100.0
Phoenix:					
Arizona	2.7	80.3	16.5	*	100.0
California	-	17.0	3.0	80.0	100.0
Office total	2.7	79.8	16.4	1.1	100.0
Visalia	-	100.0	-	-	100.0

^{1/} Includes small acreages in Lamesa Classing Office area.

^{*} Less than 0.5 percent.

^{*} Less than 0.5 percent.

to the state of . . . none I have an around the place we